SEQUENCE LISTING

<110> RIKEN

<120> A MUTANT KANAMYCIN NUCLEOTIDYLTRANSFERASE AND A METHOD OF SCREENING THERMOPHILIC BACTERIA USING THE SAME

<130> PH-1082

<140>

<141>

<150> JP 11-309616

<151> 29-0CT-1999

<160> 11

<170> PatentIn Ver. 2.0

<210> 1

<211> 253

<212> PRT

<213> Artificial Sequence

<220>

<223> mutant enzyme obtained by introduction of point mutation int o wild type KNT gene of Staphylococcus aureus and its expression

<400> 1

	Met	Asn	Gly	Pro	Ϊle	Ile	Met	Thr	Arg	Glu	Glu	Arg	Met	Lys	Пļе	Val
•	1			,	5					10					15	
						•	,		•	· ·			•			
	His	Glü	Ile	Lys	Glu	Arg	Ile	Leu	Asp	Lys	Tyr	Gly	Asp	Asp	Val	Lys
				20	ř				25					30		
		•		+ *';							•	•		٠.	,	
	Ala	Ile	Gly	Val	Tyr	Gly	Ser	Leu	Gly	Arg	Gin	Thr	Asp	Gly	Pro	Tyr
			35			, , '		40					45			
				•	•											
	Ser	Asp	Ile	Glu	Met	Met	Cys	Val	Met	Ser	Thr	Glu	Glu	Ala	Ġlu	Phe
		50					55					60		•		
			•									,				
	Ser	His	Glu	Trp	Thr	Thr	Gly	Glu	Trp	Lys	Val.	Glu	Val	Asn	Phe	Tyr
	65					70					75	•	:			80
					k					,	/ ·.	; ;				
	Ser	Glu	Glu	Ile	Leu	Leu	Asp	Tyr	Ala	Ser	Gln	Val	Glu	Ser	Asp	Trp
					85					90					95	
	Pro	Leu	Thr	His	Gly	Gln	Phe	Phe	Ser	Ile	Leu	Pro	Ile	Tyr	Asp	Ser
				100					105					110		•
	Gly	Gly	Tyr	Leu	Glu	Lys	Val	Tyr	Gln	Thr	Ala	Lys	Ser	Val	Glu	Ala
			115		•			120					125			
	Gln	Lys	Phe	His	Asp	Ala	Ile	Cys	Ala	Leu	Ile	Val	Glu	Glu	Leu	Phe
		130					135					140				
	Glu	Tyr	Ala	Gly	Lys	Trp	Arg	Asn	Ile	Arg	Val	Gln	Gly	Pro	Thr	Thr
	145					150					155	•				160
									2	2/14						

'Phe Leu Pro Ser Leu Thr Val Gln Val Ala Met Ala Gly Ala Met Leu 165 170 ' 175

Ile Gly Leu His His Arg Ile Cys Tyr Thr Thr Ser Ala Ser Val Leu 180 185 190

Thr Glu Ala Val Lys Gln Ser Asp Leu Pro Ser Gly Tyr Asp His Leu 195 200 205

Cys Gln Phe Val Met Ser Gly Gln Leu Ser Asp Ser Glu Lys Leu Leu 210 215 220

Glu Ser Leu Glu Asn Phe Trp Asn Gly Ile Gln Glu Trp Thr Glu Arg
225 230 235 240

His Gly Tyr Ile Val Asp Val Ser Lys Arg Ile Pro Phe 245 250

<210> 2

<211> 253

<212> PRT

<213> Artificial Sequence

<220>

<223> mutant enzyme obtained by introduction of point mutation into wild type KNT gene of Staphylococcus aureus and its expression

Met Lys Gly Pro Ile Ile Met Thr Arg Glu Glu Arg Met Lys Ile Val His Glu Ile Lys Glu Arg Ile Leu Asp Lys Tyr Gly Asp Asp Val Lys Ala Ile Gly Val Tyr Gly Ser Leu Gly Arg Gln Thr Asp Gly Pro Tyr Ser Asp Ile Glu Met Met Cys Val Met Ser Thr Glu Gly Ala Glu Phe Ser Tyr Glu Trp Thr Thr Gly Glu Trp Lys Ala Glu Val Asn Phe Tyr Ser Glu Glu Ile Leu Leu Asp Tyr Ala Ser Arg Val Glu Ser Asp Trp Pro Leu Thr His Gly Arg Phe Phe Ser Ile Leu Pro Ile Tyr Asp Pro Gly Gly Tyr Phe Glu Lys Val Tyr Gln Thr Ala Lys Ser Val Glu Ala Gln Lys Phe His Asp Ala Ile Cys Ala Leu Ile Val Glu Glu Leu Phe Glu Tyr Ala Gly Lys Trp Arg Asn Ile Arg Val Gln Gly Pro Thr Thr

' Phe Leu Pro Ser Leu Thr Val Gln Val Ala Met Ala Gly Ala Met Leu 165 170 175

Ile Gly Leu His His Arg Ile Cys Tyr Thr Thr Ser Ala Ser Val Leu 180 185 190

Thr Glu Ala Val Lys Gln Pro Asp Leu Pro Ser Gly Tyr Asp His Leu 195 200 205

Cys Gln Leu Val Met Ser Gly Gln Leu Ser Asp Ser Glu Lys Leu Leu 210 215 220

Glu Ser Leu Glu Asn Phe Trp Asn Gly Ile Gln Glu Trp Thr Glu Arg
225 230 240

His Gly Tyr Ile Val Asp Val Ser Lys Arg Ile Pro Phe 245 250

<210> 3

<211> 253

<212> PRT

<213> Artificial Sequence

<220>

<223> mutant enzyme obtained by introduction of point mutation int o wild type KNT gene of Staphylococcus aureus and its expression

Met Lys Gly Pro Ile Ile Met Thr Arg Glu Glu Arg Met Lys Ile Val - 10 His Glu Ile Lys Glu Arg Ile Leu Asp Lys Tyr Gly Asp Asp Val Lys Ala Ile Gly Val Tyr Gly Ser Leu Gly Arg Gln Thr Asp Gly Pro Tyr Ser Asp Ile Glu Met Met Cys Val Leu Ser Thr Glu Gly Val Glu Phe Ser Tyr Glu Trp Thr Thr Gly Glu Trp Lys Ala Glu Val Asn Phe Tyr Ser Glu Glu Ile Leu Leu Asp Tyr Ala Ser Arg Val Glu Pro Asp Trp Pro Leu Thr His Gly Arg Phe Phe Ser Ile Leu Pro Ile Tyr Asp Pro Gly Gly Tyr Phe Glu Lys Val Tyr Gln Thr Ala Lys Ser Val Glu Ala Gln Lys Phe His Asp Ala Ile Cys Ala Leu Ile Val Glu Glu Leu Phe Glu Tyr Ala Gly Lys Trp Arg Asn Ile Arg Val Gln Gly Pro Thr Thr

6/14

'Phe Leu Pro Ser Leu Thr Val Gln Val Ala Met Ala Gly Ala Met Leu 165 170 ' 175

Ile Gly Leu His His Arg Ile Cys Tyr Thr Thr Ser Ala Ser Val Leu 180 185 190

Thr Glu Ala Val Lys Gln Pro Asp Leu Pro Pro Gly Tyr Val Gln Leu 195 200 205

Cys Gln Leu Val Met Ser Gly Gln Leu Ser Asp Pro Glu Lys Leu Leu 210 215 220

Glu Ser Leu Glu Asn Phe Trp Asn Gly Val Gln Glu Trp Ala Glu Arg 225 230 240

His Gly Tyr Ile Val Asp Val Ser Lys Arg Ile Pro Phe 245 250

<210> 4

<211> 35

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:5'-Primer for PCR amplification

<400> 4

<210> 5

<211> 35

<212> DNA

<213> Artificial Sequence

<220> +

<223> Description of Artificial Sequence: 3'-Primer for PCR amplification

<400> 5

gactgtacgc tgcagcgtaa ccaacatgat taaca

35

<210> 6

<211> 35

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: 5'-Primer for PCR amplification

<400> 6

gactgtacgg aattcgagct cgagcaaatc taaaa

35

<210> 7

<211> 35

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: 5'-Primer for subcloning of WT*

<400> 7

'gactgtacgc atatgaatgg accaataata atgac

35

<210> 8

<211> 35

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:5'-Primer for subcloning of KT3-11 and HTK

<400> 8

gactgtacgc atatgaaagg accaataata atgac

35

<210> 9

<211> 35

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: 3'-Primer for subcloning

gct att ggt gtt tat ggc tct ctt ggt cgt cag act gat ggg ccc tat Ala Ile Gly Val Tyr Gly Ser Leu Gly Arg Gln Thr Asp Gly Pro Tyr 40 45 35

tcg gat att gag atg atg tgt gtc atg tca aca gag gaa gca gag ttc Ser Asp Ile Glu Met Met Cys Val Met Ser Thr Glu Glu Ala Glu Phe 55

60

35

48

96

144

192

١											•							
	agc	cat	gaa	tgg	aca	acc	ggt	gag	tgg	aag	gtg	gaa	gtg	aat	ttt	gat		240
	Ser	His	Glu	Trp	Thr	Thr	Gly	Glu	Trp	Lys	Val	Glu	Val	Asn	Phe	Asp		
	65			·		70					75	•	ł			80		
		•													•			
	agc	gaa	gag	att	cta	cta	gat	tat	gca	tct	cag	gtg	gaa	tca	gat	tgg		288
	Ser	Glu	Glu	Ile	Leu	Leu	Asp	Tyr	Ala	Ser	Gln	Val.	Glu	Ser	Asp	Trp		
	ŧ				85					90					95			
	ccg	ctt	aca	cat	ggt	с́аа	ttt	ttc	tct	att	ttg	ccg	att	tat	gat	tca		336
										Ile								
				100				••	105					110				
										•	*				•	•		•
	ggt	gga	tac	tta	gag	aaa	gtg	tat	caa	act	gct	aaa	tcg	gta	gaa	gcc		384
•										Thr								
			115					120					125	•				
								٠						•				
	caa	acg	ttc	cac	gat	gcg	att	tgt	gcc	ctt	atc	gtą	gaa	gag	ctg	ttt		432
										Leu								•
		130					135					140						
	gaa	tat	gca	ggċ	aaa	tgg	cgt	aat	att	cgt	gtg	caa	gga	ccg	aca	aca		480
																Thr		
	145	1,71		0.5	-,-	150					155					160	•	
	140					100												
	444			+00	++ a	act	σta	່ດລຸດ	σta	σca	ato	ora	øøt	ጀርር	ate	ttg		528
	Phe	Leu	Pro	ser		ınr	val	GIN	val			ита	. Gly	VIQ		Leu		•
					165					170					175	•		

														,			
	att	ggt	ctg	cat	cat	cgc	atc	tg _' t	tat	acg	acg	agc	gct	tcg	gtc	tta	576
	Ile	Gly	Leu	His	His	Arg	Ile	Cys	Tyr	Thr	Thr	Ser	Ala	Ser	Val	Leu	
•			. '	180		ı		ŗ.	185	•		,	•	190			•
						•											
	act	gaa	gca	gtt	aag	caa	tca	gaț	ctt	cct	tca	ggt	tat	gac	cat	ctg	624
	Thr	Glu	Ala	Val	Lys	Gln	Ser	Asp	Leu	Pro	Ser	Gly	Tyr.	Asp	His	Leu	
			195	,	. , '4,	1.2. 8.4.4		200					205				•
		,				, 1		٠.			٠						
	tgc	cag	ttc	gta	atg	tct	ggt	caa	ctt	tcc	gac	tct	gag	aaa	ctt	ctg	672
	Cys	Gln	Phe	Val	Met	Ser	Gly	Gln	Leu	Ser	Asp	Ser	Glu	Lys	Leu	Leu	
		210					215					220					
	gaa	tcg	cta	gag	aat	ttc	tgg	aat	ggg	att	cag	gag	tgg	aca	gaa	cga	720
	Glu	Ser	Leu	Glu	Asn	Phe	Trp	Asn	Gly	Ile	Gln	Glu	Trp	Thr	Gļu	Arg	
	225				٠	230					/235		;			240	
																•	
	cac	gga	tat	ata	gtg	gat	gtg	tca	aaa	cgc	ata	cca	ttt			•	759
	His	Gly	Tyr	Ile	Val	Asp	Val	Ser	Lys	Arg	Ile	Pro	Phe			••	
					245					250				• .			
)> 11															*
	<211	l> 25	53										-	,-	٠		
	<212	2> PF	T7							•					÷		
	<213	3> S1	taphy	loco	occus	s aı	ıreus	5									
														,			
)> 11							•								
	Met	Asn	Gly	Pro	Ile	Ile	Met	Thr	Arg	Glu	Glu	Arg	Met	Lys	. Ile	Val	
	1				5					10				•	15		

								•							
His	Glu	Ile	Lys	Glu	Arg	Ile	Leu	Asp	Lys	Tyr	Gly	Asp	Asp	Val	Lys
•			20	·			-	25					30		
		Ē					•	•	•	·. '					
Ala	Ile	Gly	Val	Tyr	Gly	Ser	Leu	Gly	Arg	Gln	Thr	Asp	Gly	Pro	Tyr
		35	,	, ' 'g			40				•	45			
					· Sec										•
Ser	Asp	lle	Glu	Met	Met	Cys	Val	Met	Ser		•	Glu	Ala	Glu	Phe
	50 [,]				, / '	55				•	60				
	•				•									_:	
	His	Glu	Trp	Thr	Thr	Gly	Glu	Trp	Lys		Glu	Val	Asn	Phe	
65					70					75					80
•	0.1		71.	T	T	A	Т	41.	C	C1-	Vo 1	C1	Co	Aan	Twn
Ser	GIU	GIU	116		Leu	ASP	lyr	АТА	ser 90.		va i	GIU.	ser	95	пр
				85					90.	/				33	
Pro	I All	Thr	Hic	Glv	Gln	Phe	Phe	Ser	lle	Len	Pro) 'He	Tvr	Asp	Ser
110	Leu	1111	100	diy	d i ii	THE	1110	105	110	Dou	110	110	110	пър	001
			100					100							
Gly	Gly	Tyr	Leu	Glu	Lys	Val	Tyr	Gln	Thr	Ala	Lys	Ser	Val	Glu	Ala
	-	115					120					125			
Gln	Thr	Phe	His	Asp	Ala`	He	Cvs	Ala	Leu	He	Val	Glu	Glu	Leu	Phe

Gln Thr Phe His Asp Ala`lle Cys Ala Leu Ile Val Glu Glu Leu Phe 130 135 140

Glu Tyr Ala Gly Lys Trp Arg Asn Ile Arg Val Gln Gly Pro Thr Thr 145 150 155 160

Phe Leu Pro Ser Leu Thr Val Gln Val Ala Met Ala Gly Ala Met Leu 165 170 175 Ile Gly Leu His His Arg Ile Cys Tyr Thr Thr Ser Ala Ser Val Leu 180 185 190

Thr Glu Ala Val Lys Gln Ser Asp Leu Pro Ser Gly Tyr Asp His Leu 195 200 205

Cys Gln Phe Val Met Ser Gly Gln Leu Ser Asp Ser Glu Lys Leu Leu 210 215 220

Glu Ser Leu Glu Asn Phe Trp Asn Gly Ile Gln Glu Trp Thr Glu Arg
225 230 235 240

His Gly Tyr Ile Val Asp Val Ser Lys Arg Ile Pro Phe 245 250